

**A - Chief Engineer (O and M) 3-HHPS Besham (WAPDA) (345)  
Provisional Result for the post of A21. Plumber (BPS-07)**

		Marks	
Roll No	CNIC	Total Marks	Obtained Marks
23261100010	3810117799277	100	27
24509300047	3730361648643	100	24
24509300008	3720343104905	100	28
24509100010	3720324229081	100	20
24509100015	3710437442835	100	35
23261300032	3650216491117	100	22
24509300017	3630252624553	100	39
24509300020	3630251780003	100	25
23261300026	3610445261917	100	34
23261300031	3610403784599	100	32
23261300002	3530391838741	100	28
23261300028	3510101888417	100	22
23261300016	3460363357221	100	28
24509300064	3450154767999	100	32
23261300011	3410162093093	100	29
23261300005	3310438278229	100	26
23261300039	3310183900059	100	26
23261300017	3240342956907	100	26

**A - Chief Engineer (O and M) 3-HHPS Besham (WAPDA) (345)  
Provisional Result for the post of A21. Plumber (BPS-07)**

Roll No	CNIC	Total Marks	Obtained Marks
23261300004	3130139449101	100	22
23261300022	3120361967553	100	30
23261300037	3110403872675	100	37
24509400038	1620295964393	100	47
24509400003	1620292211243	100	52
23261100016	1620256530049	100	20
24509100038	1620241682019	100	25
23261100005	1620216193029	100	16
23261400001	1540203314007	100	34
24509400022	1430191493489	100	49
23261100015	1350364872178	100	15
24509100037	1330184271177	100	25
23261100009	1330155397597	100	31
23261100006	1330123147565	100	42
23261400004	1330101695935	100	33